



# ***TRUCK & BUS RADIAL TIRES***





# ROADLUX

All Steel Truck And Bus Radial Tires



105

| Size        | Ply | Load Index/Speed | Depth(mm) |
|-------------|-----|------------------|-----------|
| 7.00R16LT   | 8   | 107/102L         | 10.5      |
| 7.00R16LT   | 10  | 111/107L         | 10.5      |
| 7.00R16LT   | 12  | 115/110L         | 10.5      |
| 7.50R16LT   | 14  | 122/118K         | 12.0      |
| ST225/90R16 | 14  | 128/124K         | 12.0      |

All Position Bus And Light Truck  
On Road Service



115

| Size        | Ply | Load Index/Speed | Depth(mm) |
|-------------|-----|------------------|-----------|
| 10.00R20    | 16  | 146/143L         | 15.0      |
| 10.00R20    | 18  | 149/146L         | 15.0      |
| 11.00R20    | 16  | 150/146L         | 15.0      |
| 11.00R20    | 18  | 152/149L         | 15.0      |
| 12.00R20    | 18  | 154/151L         | 15.0      |
| 8R22.5      | 12  | 128/126M         | 13.0      |
| 9R22.5      | 14  | 136/134M         | 14.5      |
| 11R22.5     | 14  | 144/142M         | 15.0      |
| 11R22.5     | 16  | 148/145M         | 15.0      |
| 11R22.5     | 16  | 146/143M         | 15.0      |
| 12R22.5     | 18  | 152/149L         | 16.5      |
| 13R22.5     | 18  | 154/151L         | 16.0      |
| 295/80R22.5 | 18  | 152/149L         | 16.0      |
| 315/80R22.5 | 20  | 156/150L         | 16.5      |

Steer/Trailer Position On Road Service



116

| Size        | Ply | Load Index/Speed  | Depth(mm) |
|-------------|-----|-------------------|-----------|
| 11R22.5     | 14  | 144/142M          | 15.0      |
| 11R22.5     | 16  | 148/145M 146/143M | 15.0      |
| 11R24.5     | 14  | 146/143M          | 15.0      |
| 11R24.5     | 16  | 149/146M          | 15.0      |
| 285/75R24.5 | 14  | 144/141M          | 15.0      |
| 285/75R24.5 | 16  | 147/144M          | 15.0      |
| 295/75R22.5 | 14  | 144/141M          | 15.0      |
| 295/75R22.5 | 16  | 146/143M          | 15.0      |

Premium Steer/Trailer  
On Highway Service



117

| Size        | Ply | Load Index/Speed  | Depth(mm) |
|-------------|-----|-------------------|-----------|
| 12R22.5     | 18  | 152/149L          | 16.0      |
| 13R22.5     | 18  | 154/151M          | 15.0      |
| 295/60R22.5 | 18  | 149/146K 150/147M | 14.5      |
| 305/70R22.5 | 20  | 151/148M          | 15.0      |
| 315/60R22.5 | 18  | 152/148K 152/148M | 14.5      |
| 315/60R22.5 | —   | 154/150M          | 14.5      |
| 315/70R22.5 | 18  | 154/150M          | 15.0      |
| 315/70R22.5 | —   | 156/150M          | 15.0      |

Steer/All Position Regional/Long Haul  
Direction Pattern



120

| Size        | Ply | Load Index/Speed | Depth(mm) |
|-------------|-----|------------------|-----------|
| 11R22.5     | 14  | 144/142M         | 10.5      |
| 11R22.5     | 16  | 146/143M         | 10.5      |
| 255/70R22.5 | 16  | 140/137M         | 10.5      |
| 295/75R22.5 | 14  | 144/141M         | 10.5      |
| 295/75R22.5 | 16  | 146/143M         | 10.5      |
| 11R24.5     | 14  | 146/143M         | 10.5      |
| 11R24.5     | 16  | 149/146M         | 10.5      |
| 285/75R24.5 | 14  | 144/141M         | 10.5      |
| 285/75R24.5 | 16  | 147/144M         | 10.5      |

Trailer Position On Road Service



118

| Size    | Ply | Load Index/Speed | Depth(mm) |
|---------|-----|------------------|-----------|
| 10R22.5 | 16  | 144/142M         | 14.0      |

All Position On Road Service



126

| Size        | Ply | Load Index/Speed | Depth(mm) |
|-------------|-----|------------------|-----------|
| 235/85R16   | 14  | 126/123L         | 10.0      |
| ST235/85R16 | 14  | 129/125L         | 10.0      |

All Position On Road Service



127

| Size        | Ply | Load Index/Speed | Depth(mm) |
|-------------|-----|------------------|-----------|
| 215/85R16LT | 12  | 120/118L         | 11.0      |
| 215/75R17.5 | 16  | 127/124M         | 14.0      |

All Position On Road Service



128

| Size        | Ply | Load Index/Speed | Depth(mm) |
|-------------|-----|------------------|-----------|
| 385/65R22.5 | 20  | 160K(158L)       | 16.0      |
| 425/65R22.5 | 20  | 165K             | 17.0      |

Wide Base Trailer/All Position  
On Road Service



129

| Size        | Ply | Load Index/Speed | Depth(mm) |
|-------------|-----|------------------|-----------|
| ST235/80R16 | 14  | 129/125L         | 9.5       |

All Position On Road Service



135

| Size     | Ply | Load Index/Speed | Depth(mm) |
|----------|-----|------------------|-----------|
| 9.5R17.5 | 18  | 143/141J         | 12.0      |
| 9.5R17.5 | —   | 129/127M         | 12.0      |
| 10R17.5  | 16  | 143/141J         | 12.0      |

All Position On Road Service



# ROADLUX

All Steel Truck And Bus Radial Tires



216

| Size        | Ply | Load Index/Speed  | Depth(mm) |
|-------------|-----|-------------------|-----------|
| 215/75R17.5 | 16  | 135/133M          | 13.0      |
| 215/75R17.5 | —   | 128/126M          | 13.0      |
| 235/75R17.5 | 16  | 132/129J          | 13.0      |
| 235/75R17.5 | 18  | 143/141J          | 13.0      |
| 8R19.5      | 12  | 124/122M          | 13.0      |
| 225/70R19.5 | 12  | 125/123M          | 13.0      |
| 225/70R19.5 | 14  | 128/126M          | 13.0      |
| 225/70R19.5 | 18  | 143/141L          | 13.0      |
| 245/70R19.5 | 16  | 135/133M          | 13.0      |
| 245/70R19.5 | —   | 136/134M          | 13.0      |
| 265/70R19.5 | 16  | 143/141M          | 13.0      |
| 285/70R19.5 | 18  | 150/148J          | 13.0      |
| 305/70R19.5 | 18  | 148/145L          | 14.0      |
| 11.00R22    | 16  | 152/149L          | 16.0      |
| 11R22.5     | 14  | 144/142M          | 15.0      |
| 11R22.5     | 16  | 146/143M 148/145M | 15.0      |
| 12R22.5     | 16  | 150/147L          | 16.5      |

Premium Steer/Trailer On Highway Service



228

| Size    | Ply | Load Index/Speed | Depth(mm) |
|---------|-----|------------------|-----------|
| 8.25R20 | 14  | 136/134L         | 15.0      |

All Position On Road Service



256

| Size     | Ply | Load Index/Speed | Depth(mm) |
|----------|-----|------------------|-----------|
| 11.00R20 | 18  | 152/149L         | 16.0      |
| 12.00R24 | 20  | 160/157K         | 14.5      |

All Position On Road Service



268

| Size     | Ply | Load Index/Speed | Depth(mm) |
|----------|-----|------------------|-----------|
| 9.00R20  | 16  | 144/142L         | 15.0      |
| 10.00R20 | 18  | 149/146L         | 15.5      |
| 11.00R20 | 18  | 152/149L         | 16.0      |
| 12.00R20 | 18  | 154/151L         | 15.0      |

All Position Standard Load On Road Service



277

| Size    | Ply | Load Index/Speed | Depth(mm) |
|---------|-----|------------------|-----------|
| 12R22.5 | 18  | 152/149L         | 17.0      |

Premium Steer/Trailer Position  
On Highway Service



288

| Size        | Ply | Load Index/Speed | Depth(mm) |
|-------------|-----|------------------|-----------|
| 12R22.5     | 18  | 152/149K         | 15.0      |
| 315/80R22.5 | 20  | 156/150M         | 15.5      |
| 325/95R24   | 22  | 162/160K         | 16.0      |

All Position On/Off Road Service



289

| Size    | Ply | Load Index/Speed | Depth(mm) |
|---------|-----|------------------|-----------|
| 12R22.5 | 18  | 152/149L         | 17.0      |

All Position On/Off Road Service



299

| Size     | Ply | Load Index/Speed | Depth(mm) |
|----------|-----|------------------|-----------|
| 12.00R20 | 20  | 156/153K         | 17.0      |

Drive/All Position On/Off Road Service



301

| Size     | Ply | Load Index/Speed | Depth(mm) |
|----------|-----|------------------|-----------|
| 12.00R20 | 18  | 154/151J         | 21.5      |
| 12.00R20 | 20  | 156/153K         | 21.5      |
| 13R22.5  | 18  | 154/151J         | 21.5      |

Drive/All Position Off Road Service

# TRUCK & BUS RADIAL TIRES



**302**

| Size        | Ply | Load Index/Speed  | Depth(mm) |
|-------------|-----|-------------------|-----------|
| 11R22.5     | 14  | 144/142M          | 20.0      |
| 11R22.5     | 16  | 146/143M 148/145M | 20.0      |
| 12R22.5     | 18  | 152/149M          | 20.5      |
| 295/80R22.5 | 18  | 152/149M          | 20.5      |
| 315/80R22.5 | 18  | 154/151K          | 20.5      |
| 315/80R22.5 | 20  | 156/150K          | 20.5      |

Drive Position, Short/Long Distance On Highway Service



**308**

| Size      | Ply | Load Index/Speed | Depth(mm) |
|-----------|-----|------------------|-----------|
| 7.00R16LT | 14  | 118/114D         | 16.0      |
| 7.50R16LT | 14  | 122/118D         | 17.0      |
| 8.25R16LT | 16  | 128/124D         | 18.0      |
| 8.25R20   | 14  | 136/134D         | 19.0      |
| 9.00R20   | 16  | 144/142D         | 20.5      |
| 10.00R20  | 18  | 149/146D         | 23.5      |
| 11.00R20  | 18  | 152/149D         | 25.0      |
| 12.00R20  | 18  | 154/151D         | 25.0      |

All Position, Low-Speed Mining Area Service Only



**303**

| Size     | Ply | Load Index/Speed | Depth(mm) |
|----------|-----|------------------|-----------|
| 9.00R20  | 16  | 144/142K         | 15.5      |
| 10.00R20 | 18  | 149/146K         | 16.0      |
| 11.00R20 | 18  | 152/149K         | 17.0      |
| 12.00R20 | 18  | 154/151K         | 17.0      |
| 12.00R20 | 20  | 156/153K         | 17.0      |

Drive/Trailer Position On/off Road Service



**309**

| Size     | Ply | Load Index/Speed | Depth(mm) |
|----------|-----|------------------|-----------|
| 11.00R20 | 16  | 150/147F         | 25.0      |
| 11.00R20 | 18  | 152/149F         | 25.0      |
| 12.00R20 | 18  | 154/151D         | 25.0      |
| 12.00R20 | 22  | 158/155D         | 25.0      |

All Position, Low-Speed Mining Area Service Only



**303A**

| Size     | Ply | Load Index/Speed | Depth(mm) |
|----------|-----|------------------|-----------|
| 10.00R20 | 18  | 149/146K         | 16.0      |
| 11.00R20 | 18  | 152/149K         | 17.0      |
| 12.00R20 | 18  | 154/151K         | 17.0      |

Heavy Duty With Zero Belt Designing Drive Position, On/Off Road



**318**

| Size      | Ply | Load Index/Speed | Depth(mm) |
|-----------|-----|------------------|-----------|
| 7.50R16LT | 14  | 122/118K         | 15.0      |
| 8.25R16LT | 16  | 128/124K         | 16.5      |

Drive/Trailer Position, On/Off Road Service



**305**

| Size        | Ply | Load Index/Speed  | Depth(mm) |
|-------------|-----|-------------------|-----------|
| 11R22.5     | 14  | 144/142J          | 25.0      |
| 11R22.5     | 16  | 148/145J 146/143J | 25.0      |
| 12.00R24    | 18  | 158/155F          | 31.5      |
| 295/80R22.5 | 18  | 152/149J          | 22.0      |
| 315/80R22.5 | 20  | 156/150J          | 22.0      |

All Position Short Distance, Off Road Service



**326**

| Size        | Ply | Load Index/Speed  | Depth(mm) |
|-------------|-----|-------------------|-----------|
| 11.00R22    | 16  | 152/149K          | 22.0      |
| 12R22.5     | 18  | 152/149K          | 22.0      |
| 13R22.5     | 18  | 154/151K          | 22.0      |
| 275/70R22.5 | 16  | 148/145M          | 20.5      |
| 315/80R22.5 | 18  | 154/150K          | 22.0      |
| 315/80R22.5 | 20  | 156/150K 156/150M | 22.0      |

Drive Position, Long Distance On Highway Service



**306**

| Size      | Ply | Load Index/Speed | Depth(mm) |
|-----------|-----|------------------|-----------|
| 7.50R16LT | 14  | 122/118F         | 16.0      |
| 10.00R20  | 18  | 149/146G         | 23.5      |
| 12R22.5   | 18  | 152/149J         | 25.0      |
| 11R24.5   | 16  | 149/146J         | 25.0      |

All Position Short Distance, Off Road Service



**328**

| Size        | Ply | Load Index/Speed  | Depth(mm) |
|-------------|-----|-------------------|-----------|
| 11R22.5     | 16  | 148/145L          | 22.0      |
| 12R22.5     | 18  | 152/149K          | 20.0      |
| 13R22.5     | 18  | 154/151K 156/153L | 20.0      |
| 13R22.5     | 20  | 156/153L          | 20.0      |
| 295/80R22.5 | 18  | 154/149K 152/149M | 20.0      |
| 315/80R22.5 | 18  | 154/151K          | 20.5      |
| 315/80R22.5 | 20  | 156/150K 156/150M | 20.5      |

Drive Position, Short/Long Distance On/Off Road Service



**307A**

| Size     | Ply | Load Index/Speed | Depth(mm) |
|----------|-----|------------------|-----------|
| 11.00R20 | 16  | 150/146K         | 20.0      |
| 11.00R20 | 18  | 152/149K         | 20.0      |
| 12.00R20 | 18  | 154/151K         | 21.0      |

Drive/Trailer Position, Short Distance, Off Road Service



**330**

| Size        | Ply | Load Index/Speed | Depth(mm) |
|-------------|-----|------------------|-----------|
| 13R22.5     | 20  | 156/153          | 20.0      |
| 315/80R22.5 | 20  | 156/150          | 20.0      |

Drive Position On/Off Road Service



**329**

| Size        | Ply | Load Index/Speed | Depth(mm) |
|-------------|-----|------------------|-----------|
| 275/70R22.5 | 16  | 148/145M         | 20.5      |
| 295/60R22.5 | 18  | 150/147M         | 20.0      |
| 295/80R22.5 | 18  | 152/149M         | 20.0      |
| 305/70R19.5 | 18  | 148/145K         | 19.0      |
| 305/70R22.5 | 20  | 151/148M         | 22.0      |
| 315/60R22.5 | 18  | 152/148M         | 20.0      |
| 315/70R22.5 | 18  | 154/150M         | 22.0      |
| 315/80R22.5 | 20  | 156/150M         | 22.0      |

Drive Position Long Haul On Road Service



**338**

| Size      | Ply | Load Index/Speed | Depth(mm) |
|-----------|-----|------------------|-----------|
| 8.25R16LT | 16  | 128/124L         | 16.5      |
| 11.00R20  | 18  | 152/149K         | 20.0      |
| 12.00R20  | 18  | 152/149K         | 18.0      |
| 12.00R20  | 20  | 156/153K         | 18.0      |
| 12R22.5   | 18  | 152/149K         | 17.5      |
| 13R22.5   | 18  | 154/151K         | 20.0      |
| 12.00R24  | 20  | 160/157K         | 18.5      |
| 325/95R24 | 22  | 162/160K         | 18.5      |

Drive Position, Short/Long Distance On/Off Road Service



**358**

| Size        | Ply | Load Index/Speed | Depth(mm) |
|-------------|-----|------------------|-----------|
| 445/45R19.5 | —   | 164E             | 13.0      |

Super Wide Agricultural Trailer Service



**508**

| Size        | Ply | Load Index/Speed  | Depth(mm) |
|-------------|-----|-------------------|-----------|
| 215/75R17.5 | 16  | 135/133J          | 15.0      |
| 235/75R17.5 | 16  | 132/129J          | 15.0      |
| 235/75R17.5 | 18  | 143/141J          | 15.0      |
| 225/70R19.5 | 12  | 125/123J          | 15.0      |
| 225/70R19.5 | 14  | 128/126J          | 15.0      |
| 245/70R19.5 | 16  | 135/133J 136/134M | 15.0      |
| 265/70R19.5 | 16  | 143/141J          | 15.0      |
| 285/70R19.5 | 18  | 150/148J          | 15.0      |

Drive Position Closed Shoulder On Road Service



**509**

| Size        | Ply | Load Index/Speed | Depth(mm) |
|-------------|-----|------------------|-----------|
| 225/70R19.5 | 12  | 125/123J         | 15.0      |
| 225/70R19.5 | 14  | 128/126J         | 15.0      |
| 245/70R19.5 | 16  | 135/133M         | 16.0      |

Drive Position Open Shoulder On Road Service



**511**

| Size        | Ply | Load Index/Speed | Depth(mm) |
|-------------|-----|------------------|-----------|
| 7.00R16LT   | 14  | 148/114J         | 13.5      |
| 10.00R20    | 16  | 146/143K         | 18.0      |
| 10.00R20    | 18  | 149/146K         | 18.0      |
| 11.00R20    | 16  | 150/146K         | 20.0      |
| 11.00R20    | 18  | 152/149K         | 20.0      |
| 12.00R20    | 18  | 154/151K         | 20.0      |
| 12.00R20    | 20  | 156/153K         | 20.0      |
| 295/80R22.5 | 18  | 152/149K         | 22.0      |
| 315/80R22.5 | 20  | 156/150K         | 22.0      |

Drive Position On/Off Road/Highway Service



**516**

| Size        | Ply | Load Index/Speed  | Depth(mm) |
|-------------|-----|-------------------|-----------|
| 11R22.5     | 14  | 144/142L          | 24.0      |
| 11R22.5     | 16  | 146/143L 148/145L | 24.0      |
| 295/75R22.5 | 14  | 144/141L          | 20.5      |
| 295/75R22.5 | 16  | 146/143L          | 20.5      |
| 11R24.5     | 14  | 146/143L          | 24.0      |
| 11R24.5     | 16  | 149/146M          | 24.0      |
| 285/75R24.5 | 14  | 144/141L          | 20.5      |
| 285/75R24.5 | 16  | 147/144L          | 20.5      |

Drive Position, Closed Shoulder Deep Tread For Highway Service



**518**

| Size        | Ply | Load Index/Speed  | Depth(mm) |
|-------------|-----|-------------------|-----------|
| 10.00R20    | 16  | 146/143K          | 18.5      |
| 10.00R20    | 18  | 149/146K          | 18.5      |
| 11R22.5     | 14  | 144/142L          | 19.0      |
| 11R22.5     | 16  | 146/143L 148/145L | 19.0      |
| 295/75R22.5 | 14  | 144/141L          | 20.5      |
| 295/75R22.5 | 16  | 146/143L          | 20.5      |
| 11R24.5     | 14  | 146/143L          | 19.0      |
| 11R24.5     | 16  | 149/146L          | 19.0      |
| 285/75R24.5 | 14  | 144/141L          | 20.5      |
| 285/75R24.5 | 16  | 147/144L          | 20.5      |

Drive Position, Opened Shoulder Urban/Rural On Road Service



**519**

| Size        | Ply | Load Index/Speed  | Depth(mm) |
|-------------|-----|-------------------|-----------|
| 6.50R16     | 10  | 107/102K          | 11.0      |
| 6.50R16LT   | 12  | 110/105K          | 11.0      |
| 7.00R16LT   | 14  | 118/114K          | 12.5      |
| 7.50R16LT   | 14  | 122/118L          | 14.0      |
| 8.25R16LT   | 16  | 128/124L          | 14.0      |
| 7.50R20     | 14  | 130/128L          | 14.0      |
| 11R22.5     | 14  | 144/142L          | 15.5      |
| 11R22.5     | 16  | 148/145L 146/143L | 15.5      |
| 11R24.5     | 14  | 146/143L          | 18.0      |
| 11R24.5     | 16  | 149/146L          | 18.0      |
| 12R22.5     | 16  | 150/147L          | 18.0      |
| 12R22.5     | 18  | 152/149L          | 18.0      |
| 13R22.5     | 18  | 154/151L          | 18.0      |
| 295/80R22.5 | 18  | 152/149L          | 16.0      |
| 315/80R22.5 | 20  | 156/150L          | 18.0      |

All Position On/Off Road Service



**520**

| Size     | Ply | Load Index/Speed | Depth(mm) |
|----------|-----|------------------|-----------|
| 8R22.5   | 12  | 128/126L         | 14.5      |
| 9R22.5   | 14  | 136/134L         | 15.0      |
| 10R22.5  | 16  | 144/142L         | 15.0      |
| 11.00R20 | 16  | 150/147L         | 16.0      |
| 11.00R20 | 18  | 152/149L         | 16.0      |
| 12R22.5  | 18  | 152/149L         | 15.5      |

All Position On/Off Road Service



**526**

| Size        | Ply | Load Index/Speed | Depth(mm) |
|-------------|-----|------------------|-----------|
| 385/65R22.5 | 20  | 160K(158L)       | 17.5      |
| 385/65R22.5 | 22  | 162K             | 17.5      |
| 425/65R22.5 | 20  | 165J             | 17.5      |

Wide Base (Balance Control) Steer/All Position On/Off Mixed Road Service



## ROADLUX

All Steel Truck And Bus Radial Tires



| Size     | Ply | Load Index/Speed | Depth(mm) |
|----------|-----|------------------|-----------|
| 10.00R20 | 18  | 149/146L         | 18.5      |

**527**

Drive Position On/Off Road Service



| Size    | Ply | Load Index/Speed  | Depth(mm) |
|---------|-----|-------------------|-----------|
| 11R22.5 | 14  | 144/142J          | 25.0      |
| 11R22.5 | 16  | 148/145J 146/143J | 25.0      |
| 11R24.5 | 14  | 146/143J          | 25.0      |
| 11R24.5 | 16  | 149/146J          | 25.0      |

**528**

Drive Position Off Road Service



| Size     | Ply | Load Index/Speed | Depth(mm) |
|----------|-----|------------------|-----------|
| 12.00R20 | 18  | 154/151J         | 20.5      |

**529**

Drive/Trailer Position  
Off Road, Short Distance Service



| Size        | Ply | Load Index/Speed | Depth(mm) |
|-------------|-----|------------------|-----------|
| 445/65R22.5 | 22  | 169L             | 20.0      |

**539F**

All Position.  
On/Off Road Service



| Size    | Ply | Load Index/Speed | Depth(mm) |
|---------|-----|------------------|-----------|
| 12R22.5 | 18  | 152/149K         | 20.5      |

**555**

Drive Position On Highway Service



| Size        | Ply | Load Index/Speed | Depth(mm) |
|-------------|-----|------------------|-----------|
| 12R22.5     | 18  | 152/149K         | 21.5      |
| 295/80R22.5 | 18  | 152/149K         | 22.0      |

**558**

Drive Position On Highway Service



| Size        | Ply | Load Index/Speed | Depth(mm) |
|-------------|-----|------------------|-----------|
| 275/70R22.5 | 16  | 148/145M         | 22.0      |
| 11R22.5     | 16  | 148/145M         | 22.0      |

**666**

Deep Tread Design for All Position,  
City Bus Service



**668**

City Bus Designing Heavy Duty,  
Safety Structure Low-cost Mileage



**701**

Drive/Trailer  
On Snow/Ice Road Service



**702**

Drive/Trailer  
On Snow/Ice Road Service



**703**

Steer/Trailer Position  
On Snow/Ice Road Service



**705**

Drive/Trailer  
On Snow/Ice Road Service



**706**

Drive/Trailer On/Off Road Service



## ROADLUX

All Steel Truck And Bus Radial Tires



**136**

Trailer Position On Road Service

| Size        | Ply | Load Index/Speed | Depth(mm) |
|-------------|-----|------------------|-----------|
| 11R22.5     | 14  | 144/142M         | 10.5      |
| 11R22.5     | 16  | 148/145M         | 10.5      |
| 295/75R22.5 | 14  | 144/141M         | 10.5      |
| 295/75R22.5 | 16  | 146/143M         | 10.5      |



**155**

All Position On Road Service

| Size        | Ply | Load Index/Speed | Depth(mm) |
|-------------|-----|------------------|-----------|
| 12R22.5     | 18  | 152/149M         | 14.0      |
| 315/80R22.5 | 20  | 156/150M         | 14.0      |



**166**

All Position On Road Service

| Size      | Ply | Load Index/Speed | Depth(mm) |
|-----------|-----|------------------|-----------|
| 6.50R16LT | 10  | 107/102L         | 10.0      |
| 6.50R16LT | 12  | 110/105L         | 10.0      |
| 7.00R16LT | 12  | 115/110L         | 10.5      |
| 7.00R16LT | 14  | 118/114L         | 10.5      |
| 7.50R16LT | 12  | 120/116L         | 12.5      |
| 7.50R16LT | 14  | 122/118L         | 12.5      |
| 8.25R16LT | 16  | 128/124L         | 12.0      |
| 7.50R20   | 14  | 130/128L         | 12.5      |



**168**

Wide Base Trailer/Steer Position  
In Highway Service

| Size        | Ply | Load Index/Speed | Depth(mm) |
|-------------|-----|------------------|-----------|
| 385/55R19.5 | —   | 156J/160K        | 15.0      |
| 385/55R22.5 | —   | 160J             | 15.0      |
| 385/55R22.5 | —   | 160K/158L        | 15.0      |
| 385/65R22.5 | 20  | 160K/158L        | 15.0      |
| 385/65R22.5 | 24  | 164K             | 15.0      |



**168**

Wide Base Trailer Position  
In Highway/Agriculture Service

| Size        | Ply | Load Index/Speed | Depth(mm) |
|-------------|-----|------------------|-----------|
| 435/50R19.5 | --  | 160J             | 13.0      |
| 445/45R19.5 | --  | 160J             | 14.0      |



**210**

All Position On Road Service

| Size        | Ply | Load Index/Speed | Depth(mm) |
|-------------|-----|------------------|-----------|
| 9.00R20     | 16  | 144/142L         | 15.0      |
| 10.00R20    | 16  | 146/143L         | 15.0      |
| 295/80R22.5 | 18  | 152/149M         | 16.0      |



**201**

Heavy Duty All Position On/Off Road Service

| Size        | Ply | Load Index/Speed  | Depth(mm) |
|-------------|-----|-------------------|-----------|
| 10.00R20    | 18  | 149/146L          | 16.0      |
| 11.00R20    | 16  | 150/147L          | 17.0      |
| 12.00R20    | 18  | 154/151L          | 17.0      |
| 12.00R20    | 20  | 156/153L          | 17.0      |
| 12.00R24    | 20  | 160/157K          | 17.5      |
| 13R22.5     | 18  | 154/151M 156/153L | 17.0      |
| 13R22.5     | 20  | 156/153L          | 17.0      |
| 315/80R22.5 | 18  | 154/151M          | 16.5      |
| 315/80R22.5 | 20  | 156/150L 156/150M | 16.5      |
| 315/80R22.5 | —   | 158/150L          | 16.5      |



**211**

Cut & Chip Compound  
All Position On/off Road Service

| Size        | Ply | Load Index/Speed  | Depth(mm) |
|-------------|-----|-------------------|-----------|
| 11R22.5     | 14  | 144/142M          | 15.5      |
| 11R22.5     | 16  | 146/143M 148/145M | 15.5      |
| 11R24.5     | 14  | 146/143M          | 15.5      |
| 11R24.5     | 16  | 149/146M          | 15.5      |
| 255/70R22.5 | 16  | 140/137L          | 14.0      |



**215**

Premium Steer Position  
Long Haul highway Service

| Size    | Ply | Load Index/Speed | Depth(mm) |
|---------|-----|------------------|-----------|
| 12R22.5 | 18  | 152/149L         | 16.0      |



**217**

Premium Steer/Trailer Position  
On Highway Service

| Size        | Ply | Load Index/Speed  | Depth(mm) |
|-------------|-----|-------------------|-----------|
| 11R22.5     | 14  | 144/142M          | 16.0      |
| 11R22.5     | 16  | 146/143M 148/145M | 16.0      |
| 12R22.5     | 18  | 152/149L          | 16.0      |
| 11R24.5     | 14  | 146/143M          | 16.0      |
| 11R24.5     | 16  | 149/146M          | 16.0      |
| 13R22.5     | 18  | 154/151M          | 16.0      |
| 245/70R17.5 | 18  | 143/141K          | 13.5      |
| 295/75R22.5 | 14  | 144/141M          | 15.0      |
| 295/75R22.5 | 16  | 146/143M          | 15.0      |
| 295/80R22.5 | 18  | 152/149L          | 16.0      |
| 315/80R22.5 | 20  | 156/150M          | 16.5      |



**218**

All Position On Road Service

| Size    | Ply | Load Index/Speed  | Depth(mm) |
|---------|-----|-------------------|-----------|
| 11R22.5 | 14  | 144/142M          | 15.0      |
| 11R22.5 | 16  | 148/145M 146/143M | 15.0      |



**219**

All Position On Road Service

| Size     | Ply | Load Index/Speed | Depth(mm) |
|----------|-----|------------------|-----------|
| 11.00R20 | 16  | 150/147L         | 16.0      |
| 11.00R20 | 18  | 152/149L         | 16.0      |



**ROADLUX**

Tires Are Manufactured To Meet Stringent Local And International Standards

